JOURNAL OF ORGANOMETALLIC CHEMISTRY VOLUME 462, NUMBERS 1–2, DECEMBER 14, 1993

Contents

Introduction (D.J. Cardin) ix

Regular Papers

The X-ray crystal structures of the mononuclear silyllithium species $Li(THF)_3SiPh_3$ and $Li(THF)_3Si(SiMe_3)_3$
H.V.R. Dias, M.M. Olmstead, K. Ruhlandt-Senge and P.P. Power (Davis, CA, USA) (Rec'd January 22, 1993; in rev'd form April 28, 1993) 1

Reactions of pyridine-functionalized lithium alkyls with nickelocenes and nickel(II) chloride: respective formation of cyclopentadienylnickelalkyls and coupled organic products. X-Ray crystal structures of $[(\eta^5\text{-}C_5H_5)Ni\{C(SiMe_3)_2C_5H_5N\text{-}2\}]$ and $\{CH(SiMe_3)C_5H_4N\text{-}2\}_2$
W.-P. Leung, H.-K. Lee, Z.-Y. Zhou and T.C.W. Mak (Hong Kong) (Rec'd May 10, 1993) 7

Carbene adducts of magnesium and zinc
A.J. Arduengo III, H.V.R. Dias, F. Davidson and R.L. Harlow (Wilmington, DE, USA) (Rec'd February 15, 1993; in rev'd form April 26, 1993) 13

C-arylation and C-heteroarylation of icosahedral carboranes via their copper(I) derivatives
R. Coult, M.A. Fox, W.R. Gill, P.L. Herbertson, J.A.H. MacBride and K. Wade (Durham, UK) (Rec'd March 8, 1993) 19

Structures of sterically overcrowded or charge-perturbed molecules. XXVIII. $[(H_3C)_3Si]_3C\text{–}C{\equiv}C\text{–}C[Si(CH_3)_3]_3$ – a π-system concealed by a hydrocarbon veil
H. Bock, J. Meuret and K. Ruppert (Frankfurt am Main, Germany) (Rec'd February 16, 1993) 31

Trimethylsilyl derivatives of cyclooctatetraene
N.C. Burton, F.G.N. Cloke, S.C.P. Joseph, H. Karamallakis and A.A. Sameh (Brighton, UK) (Rec'd March 5, 1993) 39

The preparation and crystal structures of the compounds $(Ph_2MeSi)_3CMCl$ (M = Zn, Cd, or Hg)
S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock, J.D. Smith, K. Tavakkoli and A.D. Webb (Brighton, UK) (Rec'd May 12, 1993) 45

Pentamethyldisilanyl-substituierte Cyclopentadiene: Synthese, Struktur und dynamisches Verhalten
P. Jutzi, J. Kleimeier, R. Krallmann, H.-G. Stammler und B. Neumann (Bielefeld, Deutschland) (Eing. den 15. März 1993) 57

Zur Elektronenstruktur metallorganischer Verbindungen der *f*-Elemente. XXXIV. Ist der *N,N'*-bis(trimethylsilyl)benzamidinato-Ligand im Falle von Lanthanoid-Zentralionen ein elektronisches Äquivalent zum η^5-Cyclopentadienyl-Liganden?
C. Hagen, H. Reddmann, H.-D. Amberger (Hamburg, Deutschland), F.T. Edelmann (Göttingen, Deutschland), U. Pegelow (Münster, Deutschland), G.V. Shalimoff und N.M. Edelstein (Berkeley, CA, USA) (Eing. den 9. März 1993) 69

Preparation and structures of mixed silicon-cobalt carbonyl clusters with Si–H, Si–O or Si–S bonds
M. Van Tiel, K.M. Mackay and B.K. Nicholson (Hamilton, New Zealand) (Rec'd March 1, 1993) 79

Stable germa-imines: synthesis and reactivity of orthosubstituted anilinodimesitylgerma-imines
M. Rivière-Baudet, A. Khallaayoun and J. Satgé (Toulouse, France) (Rec'd March 2, 1993) 89

Recent developments in arylgermyl and arylhydridogermanium-metal compounds
A. Castel, P. Rivière and J. Satgé (Toulouse, France) (Rec'd March 29, 1993) 97

A new type of water-soluble phosphine for biphasic catalysis
F. Mercier and F. Mathey (Palaiseau, France) (Rec'd February 2, 1993) 103

The crystal and molecular structure of tricyclohexylphosphine-(trimethylsilyl)borane $Cy_3P \cdot BH_2SiMe_3$
A. Blumenthal, P. Bissinger and H. Schmidbaur (Garching, Germany) (Rec'd June 17, 1993) 107

Chlormethylchlorphosphane $R(Cl)P\text{–}CH_2\text{–}Cl$ – Synthone für den Aufbau von Phosphaalkenen im Metalltemplat
D.J. Brauer, A. Ciccu, J. Fischer, G. Heßler, O. Stelzer (Wuppertal, Deutschland) und W.S. Sheldrick (Bochum, Deutschland) (Eing. den 1. März 1993) 111

The oxidation of diphenyl ditelluride by substituted orthobenzoquinones, and the molecular structure of $[(Cl_4C_6O_2)TeC_6H_5]_2O$
Z. Tian and D.G. Tuck (Windsor, Ont., Canada) (Rec'd April 30, 1993; in rev'd form May 28, 1993) 125

Molecular structures of tris(methylcyclopentadienyl)-scandium and -ytterbium as studied by gas phase electron diffraction and molecular mechanics calculations: the scandium atom is too small to accommodate three pentahapto cyclopentadienyl rings
R. Blom, A. Hammel, A. Haaland (Oslo, Norway), J. Weidlein (Stuttgart, Germany), T.V. Timofeeva and Y.T. Struchkov (Moscow, Russian Federation) (Rec'd December 31, 1992) 131

New coordination environments for yttrium formed *in situ* by heterometallic bridging: crystal structures of $(C_5H_4SiMe_3)Y[(\mu\text{-}OCMe_3)(\mu\text{-}Me)AlMe_2]_2$ and $(Me_3SiCH_2)Y[(\mu\text{-}CH_2)_2SiMe_2][(\mu\text{-}OR)Li(THF)_2]_2$
W.J. Evans, T.J. Boyle and J.W. Ziller (Irvine, CA, USA) (Rec'd June 2, 1993) 141

Synthesis of new bis(cyclopentadienyl)yttrium complexes with ether functionalized cyclopentadienyl ligands. Crystal structure of $[(C_5H_4CH_2CH_2OMe)_2Y(\mu\text{-}H)_2BH_2]$
D.A. Laske, R. Duchateau, J.H. Teuben (Groningen, Netherlands) and A.L. Spek (Utrecht, Netherlands) (Rec'd March 17, 1993) 149

Metallorganische Verbindungen der Lanthanoide. LXXVIII. Bis(pentamethylcyclopentadienyl)[4-(1,2,3,4,5-pentamethylcyclopentadien-1-yl)butoxy](tetrahydrofuran)lanthanoide
H. Schumann, M. Glanz, H. Hemling und F.H. Görlitz (Berlin, Deutschland) (Eing. den 25. Februar 1993) 155

Lanthanoiden-Komplexe. VI. Monomere homoleptische $Ln(R^{Do}Cp)_3$-Komplexe (Ln = La, Nd) mit aminofunktionalisierten Cyclopentadienyl-Liganden
R. Anwander, W.A. Herrmann, W. Scherer und F.C. Munck (München, Deutschland) (Eing. den 18. März 1993) 163

Preparation of $(Me_3CC_5H_4)_4M_2(\mu\text{-}Me)_2$ (M = Ce or U) and the crystal structure of the cerium derivative
S.D. Stults, R.A. Andersen and A. Zalkin (Berkeley, CA, USA) (Rec'd April 21, 1993) 175
Organolanthanoids. XVIII. The synthesis and X-ray crystal structure of di[μ-chlorobis(diphenylphosphino-η^5-cyclopentadienyl)ytterbium(III)]
G.B. Deacon, G.D. Fallon and C.M. Forsyth (Clayton, Vic., Australia) (Rec'd February 10, 1993) 183
Dicyclopentadienyl–titanium and –zirconium complexes as catalysts for hydrogenation of olefins
T. Cuenca, J.C. Flores and P. Royo (Alcalá de Henares, Spain) (Rec'd March 3, 1993) 191
Synthese und Kristallstruktur von $Cp^0{}_2Zr\{P(2,4,6\text{-}Me_3C_6H_2)P(2,4,6\text{-}Me_3C_6H_2)\}$ ($Cp^0 = \eta^5\text{-}C_5Me_4Et$). Erste röntgenstrukturanalytische Untersuchung eines Zirkonocen–Diphosphen-Komplexes
S. Kurz und E. Hey-Hawkins (Karlsruhe, Deutschland) (Eing. den 25. Februar 1993) 203
Divalent η-arene(bis-η-allyl) derivatives of zirconium and hafnium
M.L.H. Green and X. Morise (Oxford, UK) (Rec'd January 21, 1993) 209
Synthesis and characterization of $(\eta^5\text{-}C_5Me_5)_2TaCl(THF)$, a useful synthetic precursor for the preparation of oxo, imido and methylidene derivatives of permethyltantalocene
D.M. Antonelli, W.P. Schaefer, G. Parkin and J.E. Bercaw (Pasadena, CA, USA) (Rec'd May 18, 1993; in rev'd form June 28, 1993) .. 213
Crystal structure, and variable temperature proton and carbon-13 NMR spectra of the 9-membered ring complex $[Cr(CO)_4\{E,Z\text{-}PPh_2CH_2C(^tBu)=N\text{–}N=C(^tBu)CH_2PPh_2\}]$
S.D. Perera, B.L. Shaw, M. Thornton-Pett and J.D. Vessey (Leeds, UK) (Rec'd July 12, 1993) 221
Übergangsmetall-Stannyl-Komplexe. VIII. Unterschiedlicher Verlauf der Umsetzung von $Cp_2Mo(H)ER_3$ (ER_3 = $SiMePh_2$ und $SnPh_3$) mit Butyllithium. Substitutions-Reaktionen des anionischen Stannyl-Komplexes $[Cp_2Mo\text{–}SnPh_3]^-$ und Bildung von $Cp_2Mo(SnPh_3)(CH_2)_4OSiMe_3$ mit Me_3SiCl und Tetrahydrofuran
S. Seebald, B. Mayer und U. Schubert (Würzburg, Deutschland) (Eing. den 9. März 1993) 225
Syntheses and structures of *trans*-$[ReX(CO)Ph_2PCH_2PPh_2)_2]$ (X = Cl, $OReO_3$), including a rhenium(I)–rhenium(VII) complex
L. Manojlovic-Muir, K.W. Muir, M.-A. Rennie (Glasgow, UK), J. Xiao and R.J. Puddephatt (London, Ont., Canada) (Rec'd June 16, 1993) 235
Structures of $[^tBucpFe(CO)_2]_2$ and $[^tBu_2cpFe(CO)_2]_2$
J.D. Cotton, K.A. Byriel, C.H.L. Kennard, T. Scheck and D.E. Lynch (Brisbane, Qld, Australia) 243
Synthesis and properties of sterically congested cyclopentadienes and their transition metal complexes
T.J. Clark, C.M. Killian, S. Luthra and T.A. Nile (Greensboro, NC, USA) (Rec'd March 8, 1993; in rev'd form April 26, 1993) 247
Synthesis and photolysis of the five possible isomeric phenyl-hexamethyltrisilyl-(cyclopentadienyldicarbonyliron) complexes: $(\eta^5\text{-}C_5H_5)Fe(CO)_2Si_3Me_6Ph$
C. Hernandez, H.K. Sharma and K.H. Pannell (El Paso, TX, USA) (Rec'd March 25, 1993; in rev'd form April 26, 1993) 259
Rigid rod σ-acetylide complexes of iron, ruthenium and osmium
Z. Atherton, C.W. Faulkner, S.L. Ingham, A.K. Kakkar, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby (Cambridge, UK) (Rec'd March 15, 1993) 265
Bimetallic alkoxysilyl complexes with bis(diphenylphosphino)methane, 2-(diphenylphosphino)pyridine or (diphenylphosphino)acetophenone ligands: crystal structure of $[Fe\{\mu\text{-}Si(OMe)_2(OMe)\}(CO)_3(\mu\text{-dppm})Pt(C{\equiv}NR)][PF_6]$ (R = 2,6-xylyl)
P. Braunstein, T. Faure, M. Knorr (Strasbourg, France), F. Balegroune and D. Grandjean (Rennes, France) (Rec'd May 10, 1993) ... 271
Dynamic NMR studies of 1,1′,2,2′-bis(1,2,3-trithia-[3])ferrocenophane and some mixed sulphur/selenium-bridged derivatives
E.W. Abel, N.J. Long, K.G. Orrell, V. Šik and G.N. Ward (Exeter, UK) (Rec'd February 26, 1993) 287
Axially asymmetric metal alkyls. VIII. The ruthenium metallacycle $[Ru\{(2\text{-}CH_2C_6H_4)_2\}(PPhMe_2)_3]$ and *o*-metallated $[Ru\{PC_6H_4(Me)_2\}X(PPhMe_2)_3]$ (X = Cl, Br)
S.D. Chappell, L.M. Engelhardt, A.H. White (Nedlands, W.A., Australia) and C.L. Raston (Brisbane, Qld, Australia) (Rec'd March 18, 1993) 295
The synthesis, structural characterisation and variable temperature ^1H NMR study of the bis-toluene hexaruthenium carbidocarbonyl cluster $[Ru_6C(CO)_{11}(\eta^6\text{-}C_6H_5Me)(\mu_3\text{-}\eta^2:\eta^2:\eta^2\text{-}C_6H_5Me)]$
D. Braga, F. Grepioni, E. Parisini (Bologna, Italy), P.J. Dyson, B.F.G. Johnson, D. Reed, D.S. Shepherd (Edinburgh, UK), P.J. Bailey and J. Lewis (Cambridge, UK) (Rec'd June 25, 1993) 301
Aren- und Cyclopentadienyl-Halbsandwichkomplexe des Rutheniums mit Oximaten, Carboxylaten, Iminen und Azavinylidenen als Liganden
H. Werner, T. Daniel, W. Knaup und O. Nürnberg (Würzburg, Deutschland) (Eing. den 12. Februar 1993) 309
Syntheses and ^{31}P NMR studies of ruthenium(II), rhodium(I), and rhodium(III) complexes containing $\eta^5\text{-}P_2C_3{}^tBu_3$ and η^5- and $\eta^1\text{-}P_3C_2{}^tBu_2$ ligated ring systems. Crystal structures of $[Rh(\eta^5\text{-}P_2C_3{}^tBu_3)(\eta^4\text{-COD})]$ (COD = 1,5-cyclooctadiene) and the novel hydrido-η^1-triphosphacyclopentadienyl complex $[RhH(\eta^1\text{-}P_3C_2{}^tBu_2)(\eta^5\text{-}C_5Me_5)PPh_3]$
P.B. Hitchcock, R.M. Matos and J.F. Nixon (Brighton, UK) (Rec'd April 6, 1993) 319
Oxidative addition of Group 14 hydrides to osmium(0), osmium(II) and ruthenium(0) complexes. Crystal structures of $Os(SiEt_3)H(CO)_2(PPh_3)_2$ and $Os(Ge[p\text{-tolyl}]_3)H(CO)_2(PPh_3)_2$
G.R. Clark, K.R. Flower, C.E.F. Rickard, W.R. Roper, D.M. Salter and L.J. Wright (Auckland, New Zealand) (Rec'd March 30, 1993) 331
Synthesis of planar-chiral cobalticinium complexes and their properties as chiral anion receptors
M. Uno, N. Komatsuzaki, K. Shirai and S. Takahashi (Osaka, Japan) (Rec'd May 7, 1993) 343
A spectroscopic study of halocarbonyl complexes of rhodium(I) and (III)
B.T. Heaton, C. Jacob (Liverpool, UK) and S. Moffet (Canterbury, UK) (Rec'd May 17, 1993) 347

Studies on the complex [Rh{σ,η^5-7,9-$C_2B_9H_{10}$[C(H)C_6H_4Me-4]-10}(CO)(PPh_3)]; crystal structure of the compound [Rh(CO)(PPh_3){η^5-7,9-$C_2B_9H_{10}$[C(H)(C_6H_4Me-4)(PEt_3)]-10}]
J.E. Goldberg, J.C. Jeffery (Bristol, UK) and F.G.A. Stone (Waco, TX, USA) (Rec'd February 10, 1993) 353
Synthesis and interconversion of *triangulo* cluster compounds of platinum with isocyanide and phosphine ligands
J.L. Haggitt (Oxford, UK) and D.M.P. Mingos (London, UK) (Rec'd June 8, 1993) 365
Preparation and molecular structure of an adipinato copper norbornadiene complex
G. Speier, L. Szabó (Veszprém, Hungary) and V. Fülöp (Budapest, Hungary) (Rec'd March 12, 1993) 375

Preliminary Communications
$HB(3,5\text{-}Me_2pyrazolyl)_3^-$ as an encapsulating ligand for Ba^{II}
S.G. Dutremez, D.B. Leslie, W.E. Streib, M.H. Chisholm and K.G. Caulton (Bloomington, IN, USA) (Rec'd March 12, 1993) C1
A novel tricycle with a planar tetragermanium(I) four-membered ring
H.H. Karsch, G. Baumgartner and S. Gamper (Garching, Germany) (Rec'd April 5, 1993) C3
The regiospecific reaction of diphenylacetylene with bis(cyclopentadienyl)(*o*-fluorobenzyne)titanium. The crystal structure of the $Cr(CO)_3$ derivative of 1,1-bis(cyclopentadienyl)-2,3-diphenyl-7-fluorotitanole
I.R. Butler (Vancouver, Burnaby, B.C., Canada), W.R. Cullen (Vancouver, B.C., Canada), F.W.B. Einstein and R.H. Jones (Vancouver, Burnaby, B.C., Canada) (Rec'd March 18, 1993; in rev'd form September 7, 1993) C6
Redox reactions of vanadium(0) and niobium(0) bis(mesitylene) (mes) derivatives with metal carbonyl halides of Group 7. The crystal and molecular structure of [mes$(CO)_2$Nb(μ-I)$_2$Re$(CO)_3$], a metal–metal bonded heterobimetallic complex
F. Calderazzo, G.E. De Benedetto, G. Pampaloni, L. Rocchi (Pisa, Italy) and U. Englert (Aachen, Germany) (Rec'd May 14, 1993) .. C10
Niobium and tantalum methyl complexes containing imido and cyclopentadienyl ligands. Crystal structure of [Nb(η-C_5H_5)(N^{t}Bu)(Me)(Cl)]
V.C. Gibson, A.D. Poole, U. Siemeling, D.N. Williams (Durham, UK), W. Clegg and D.C.R. Hockless (Newcastle upon Tyne, UK) (Rec'd August 4, 1993) C12
Synthesis, structural characterisation and reactivity of the d^2 pseudo-metallocene complex Mo(N-2,6-$^i Pr_2C_6H_3)_2(PMe_3)_2$
P.W. Dyer, V.C. Gibson, J.A.K. Howard and C. Wilson (Durham, UK) (Rec'd August 16, 1993) C15
Novel secondary allenylidene ruthenium complexes and preparation of *trans*-[(dppm)$_2$(H)Ru–C≡C–CH(OMe)R] derivatives
N. Pirio, D. Touchard and P.H. Dixneuf (Rennes, France) (Rec'd April 15, 1993) C18
Chiral phosphine complexes of ruthenium(II) arenes
D.E. Fogg and B.R. James (Vancouver, B.C., Canada) (Rec'd May 4, 1993, in rev'd form June 8, 1993) C21
New electron rich Ru_3P_4 and Ru_4P_3 phosphido clusters: synthesis and molecular structures of the expanded triangular and butterfly clusters (μ_3-H)$Ru_3(CO)_6(\mu\text{-}PPh_2)_3$[$\mu$-P(Ph)$C_6H_4$] and ($\mu$-H)$_2Ru_4(CO)_{10}(\mu_3\text{-}PPh)(\mu PPh_2)_2$
J.F. Corrigan, S. Doherty, N.J. Taylor, A.J. Carty (Waterloo, Ont., Canada), E. Boroni and A. Tiripicchio (Parma, Italy) (Rec'd April 14, 1993; in rev'd form July 6, 1993) C24
Synthesis and structure of $Ir_4Sn_3(CO)_6$[CH$(SiMe_3)_2]_5O_3$; a heterometallic 'raft' with sail hoisted!
C.J. Cardin, M.B. Power (Dublin, Ireland) and D.J. Cardin (Berkshire, UK) (Rec'd August 25, 1993) C27

Author Index C29

Subject Index C31